


Debian 13 MySQL 8.4

Aurélien LEQUOY · 2026 4 13

- MYSQL
- DEBIAN
- INSTALLATION
- MYSQL-8.4
- DEBIAN-13

MYSQL 8.4 LTS ON DEBIAN 13 TRIXIE

Oracle APT repository — tested April 2026 — MySQL 8.4.8



MySQL 8.4 LTS — Oracle APT on Debian 13 trixie — production-ready



Oracle APT Debian 13 MySQL 8.4

- MySQL
-
-
-
- systemd

Debian 13

2026 4 13 MySQL APT Debian MySQL 8.4-lts

- Debian 13 Oracle MySQL
- MySQL APT
- Oracle MySQL 8.4 Debian

❏ A — `mysql-apt-config` ❏❏❏❏

```
cd /tmp
wget https://dev.mysql.com/get/mysql-apt-config_0.8.36-1_all.deb
dpkg -i mysql-apt-config_0.8.36-1_all.deb
apt-get update
```

❏ B — ❏ APT ❏❏❏❏

`RPM-GPG-KEY-mysql-2023` GPG ❏❏❏ 2025 `RPM-GPG-KEY-mysql-2025` ❏

```
mkdir -p /etc/apt/keyrings
wget -O /etc/apt/keyrings/mysql.gpg https://repo.mysql.com/RPM-GPG-KEY-mysql-2025

cat >/etc/apt/sources.list.d/mysql.list <<'EOF'
deb [signed-by=/etc/apt/keyrings/mysql.gpg] http://repo.mysql.com/apt/debian/ trixie mysql-
8.4-lts mysql-tools
EOF

apt-get update
```

3. ❏ MySQL 8.4

```
DEBIAN_FRONTEND=noninteractive apt-get install -y mysql-server
```

`mysql-community-server` `mysql-community-client` ❏❏❏❏❏❏

```
dpkg -l | grep -E 'mysql-(server|client|community)'
```

4. ❏❏❏

```
systemctl status mysql --no-pager
systemctl is-active mysql
systemctl is-enabled mysql
mysql --version
mysql -Nse "SELECT VERSION();"
```

5. 配置

DEBIAN_FRONTEND=noninteractive Debian 13 MySQL 8.4 Unix socket root

```
mysql
```

```
sudo mysql
```

6. 安全配置

```
mysql_secure_installation
```

```
DELETE FROM mysql.user WHERE User='';
DROP DATABASE IF EXISTS test;
DELETE FROM mysql.db WHERE Db='test' OR Db='test\\_%';
FLUSH PRIVILEGES;
```

7. 服务配置

	/etc/mysql/
	/usr/sbin/mysqld
	/usr/bin/mysql
	/var/lib/mysql
systemd	mysql.service
	/etc/mysql/mysql.conf.d/zz-*.cnf

8. 配置

配置

```
cat >/etc/mysql/mysql.conf.d/zz-custom.cnf <<'EOF'
[mysqld]
bind-address = 0.0.0.0
mysqlx-bind-address = 0.0.0.0
skip_name_resolve = ON
max_connections = 200
innodb_buffer_pool_size = 1G
log_error_verbosity = 2
EOF

systemctl restart mysql
```

验证

```
mysql -Nse "SHOW VARIABLES LIKE 'bind_address';"
mysql -Nse "SHOW VARIABLES LIKE 'innodb_buffer_pool_size';"
```

9. 端口 3306

配置

```
CREATE USER 'admin'@'10.68.68.%' IDENTIFIED BY 'StrongPasswordHere';
GRANT ALL PRIVILEGES ON *.* TO 'admin'@'10.68.68.%' WITH GRANT OPTION;
FLUSH PRIVILEGES;
```

```
ss -lntp | grep 3306
```

10. 目录

```
systemctl stop mysql
mkdir -p /srv/mysql
rsync -aHAX /var/lib/mysql/ /srv/mysql/
chown -R mysql:mysql /srv/mysql
chmod 750 /srv/mysql
```